




COMPETITIVE PRICE




DRIVE

DRIVE bench gives the opportunity of quick and easy adjusting to individual needs without compromising on functionality and space. Each work counter has its own individual mechanism which works independently. DRIVE bench can be equipped with fabric panels to divide a work surface for more privacy. Dividing the work surface does not, in any way, reduce the access to the horizontal cable management underneath the work top.





DRIVE



CTA05 X 2 STRAIGHT DESK WITH ELECTRICT HEIGHT ADJUSTMENT 1800/800/650/1300

ZM618 FABRIC PANEL FOR SINGLE DESK 1800/38/650

ZN13 X 4 DIVISORY FABRIC SIDE PANEL 800/38/650
IKDT13 X 3 PEDESTAL 402/600/586

A2L06 X 4 TAMBOUR STORAGE 1200/432/740
S94 X 2 VERTICAL CABLE DUCTIN Ø140/750-1200

SAVA CHAIR 660/610/1050-1150

CTA04 X 2 STRAIGHT DESK WITH ELECTRICT HEIGHT ADJUSTMENT 1600/800/650/1300

ZM616 X 2 FABRIC PANEL FOR SINGLE DESK 1600/38/650

S94 X 2 VERTICAL CABLE DUCTIN Ø140/750-1200

IKCD80 CARGO PEDESTAL 402/800/1100

IKDT12 PEDESTAL 402/600/586

SAVA CHAIR 660/610/1050-1150









DRIVE is an electric height regulation desks which allows for customized standing and sitting positions and is a great ergonomically solution. The electrical height regulator, located underneath the work surface, simplifies changes in positions depending on one's office needs. Changing position during long working hours increases work effectiveness, productivity and health. To create an intimate climate, DRIVE allows you to add acoustic panels. There are two types of acoustic panels which fit perfectly both horizontally and vertically to the worktop.



YAN_Z









YAN Z

Side desk storages for both single desks and benches act as a construction element reducing the need for an additional leg thus maximizing the space underneath the desk. Wide variety of storage solutions allows for a tailor-made office interior.





 ZBN08L
 DESK 1800/800/740

 KRT74L
 PEDESTAL 402/800/740

 UN16
 MFC MODESTY PANEL 1600/18/400

 SAVA
 CHAIR 660/610/1050-1150

EXAMPLES OF STORAGE ARRANGEMENTS








ZBN16L EXTENDING ELEMENT 1600/1600/740
BZB16 WORKTOP - DOUBLE 1600/1600/83
KRT74LP X 2 PEDESTAL 402/800/740
KRT74L PEDESTAL 402/800/740
KRT74P PEDESTAL 402/800/740

S16 X 4 METAL CABLE TRAY 1150/162/123 S93 X 2 VERTICAL HITCH 470/62/34 ZP30 X 2 ZIG-ZAG PANEL 1590/26/350 SAVA X 4 CHAIR 660/610/1050-1150





YAN is a simple yet multi-functional system which blends well into an office space arrangement.

Its' flexibility allows for a quick response to different office work requirements.


Sliding desk tops give easy access to cable management.

Distinctive panel designs enable to build an office of a particular character.

YAN Z

YAN has been designed to offer the possibility of combining different components into a multi functional office layout. Tambour or sliding door storages, high or desk level can be used as an end element. Different height and functionality pedestals may act as both dividing on finithing section, individual on team storage.







EXAMPLES OF STORAGE ARRANGEMENTS



YAN_T











YAN_T






BRN01 MANAGERIAL DESK WITH STORAGE 1600/1870/740 **UN16** MFC MODESTY PANEL 1600/18/400 **SAVA** CHAIR 660/610/1050-1150



YAN managerial storage was designed to optimize and organize the work space. It is a construction element of the desks eliminating the need for additional leg. Thought through storage interior allows to hide a computer box as well as suspension files and personal belongings.



YAN T



BRN08R X 2 HEIGHTS ADJUSTABLE DESK S18 X 2 METAL CABLE TRAY

VERTICAL CABLE DUCTIN Ø140/750 S94 **A3504** STORAGE 801/432/1129

A3104HZ X 2 STORAGE WITH HPL FRONT **SAVA** X 2 CHAIR 660/610/1050-1150



YAN not only serves your present day basic needs but provides an answer to growing demands of the future office. YAN offers desks with manual height regulation. When the need arises you can comfortably set and regulate the height to your liking and situation.





YAN_M














One of the most important elements in planning your ergonomic office space, is the functionality of your office furniture. YAN system offers a solution for creating workstations using Cargo containers. Cargo fulfills its role not only as a construction element but also as a place to rearrange all of your crucial documents.

This type of arrangement is important in achieving optimal performance.




BLN06L EXTENDING ELEMENT 1600/800/740
S16 METAL CABLE TRAY 1150/162/123
S87 CPU HOLDER 212/460/660
KCD80P CARGO PETESTAL 402/800/1100
SAVA CHAIR 660/610/1050-1150



EXAMPLES OF CARGO STORAGE ARRANGEMENTS



YAN M



BLN16L EXTENDING ELEMENT 1600/1600/740 **KRT73P** PEDESTAL 402/800/740

KRT73L PEDESTAL 402/800/740

PL180 EXTENSION 1600/600/28
S16 X 2 METAL CABLE TRAY 1150/162/123
ZM16 ACOUSTIC PANEL 1596/38/350
SAVA X 2 CHAIR 660/610/1050-1150






The main attribute of the YAN system is the possibility of easy configuring individual desks and benches in a number of ways.

Desk tops can be supported by metal legs, which come in four shapes to choose from, or different storage solutions.

By enlarging the work area with extending elements, a space for greater interaction can be easily build.





YAN_C










YAN_C

YAN promotes simplicity combined with a great variety and choice. Apart from many different styled panels, legs and storages there are different solutions for cable management.

Combine vertical and horizontal cable organizer options to create a hassle free workspace environment.


Each solution is universal for different YAN styles.



Elegant mediabox provides access to a power supply. It can be used in desk tops and conference tables.



YAN_C




BUN22 STRAIGHT DESK 1800/800/740 M04 MEDIABOX 4X230V; 2XRJ45; 1XUSB METAL CABLE TRAY 1350/162/123 UN16 MFC MODESTY PANEL 1600/18/400

ZS01 SLIDING DOOR STORAGE 2000/432/1129

CAN11 CANOE LAMP 1105/360/360

SAVA CHAIR 660/610/1050-1150






ST12 TABLE Ø1200/730 **ZW818** X 3 FREE-STANDING PANEL **GAYA** X 5 CHAIR 660/510/825









BUN24S TABLE 1300/1400/740
BUN24L TABLE 1300/1400/740
M04 MEDIABOX 4X230V; 2XRJ45; 1XUSB
BUN24P TABLE 1300/1400/740
M04 MEDIABOX 4X230V; 2XRJ45; 1XUSB
IA3P06 X 2 SLIDING DOOR STORAGE 1200/432/1129
HPR2 X 2 HANDLES PRO 160/110/20
SNL16 SUNBEAN LAMP Ø1440/410
GAYA X 8 CHAIR 660/510/825



YAN PANELS


YAN panels present different styles to suit individual needs. Functionality of panels together with the diversity of design and characteristic patterns give you customized work area in a new look.





ACOUSTIC PANELS


MFC PANELS WITH FABRIC SCREENS MFC PANELS








CITY PANELS





Open workspaces do not have to be boring. Vibrant colors and diverse forms of panels, break up the static nature of the system, promoting creative inventiveness.



ZIG-ZAG PANELS

YAN_PANELS



ACOUSTIC PANELS h350 mm



ACOUSTIC PANELS h650-800 mm





ACOUSTIC PANELS h1200-1800 mm

YAN ELEMENTS


YAN presents a large variety of ways in which a desk top can be supported. These include four different shapes of legs, and several storage options. It allows for creating simple yet functional work areas.












YAN ELEMENTS

- QUICK AND EASY ASSEMBLY SYSTEM
- SLIDING DESK TOPS: DIRECT AND EASY CABLE MANAGEMENT ASCCESS
- VERSATILE AND SMART
- HEIGHT ADJUSTABLE: MANUAL AND ELECTRIC OPTIONS





CABLE MANAGEMENT



VERTICAL CABLE HITCH S93 CPU HOLDER S83



VERTICAL CABLE DUCTING S94 FOR HEIGHT ADJUSTABLE DESKS



VERTICAL CABLE DUCTING S81 TOP ACCESS M05

M04 - the product has been developed with several solutions to guarantee an easy, in-built arrangement of all wires required for electricity, telephone and data transfer



MEDIABOX M04: 2XRJ45, 1XUSB, 4X230V






HORIZONTAL METAL CABLE TRAY

CANADIAN OAK

- DIFFERENT LENGTHS
- UNIVERSAL FOR INDIVIDUAL DESK OR BENCH SOLUTIONS



GROMMETS AND PRESS BUTTONS

- DIFFERENT COLOURS



POLAR BIRTCH

SAVA

SAVA is a fusion of class and originality. The customized chair mechanisms allow for the adjustment to one's personal taste and posture.

Its rich palette of fabrics, and bold colors is an asset in creating a modern office.



GAYA

This is the ideal popular chair utilized in conference rooms, waiting rooms, reception areas and entrance halls.

There are two types of chrome bases available: a 4 legged base or a sleigh runner. They are easily stackable.













BLN02 BLN06 1200-800-740 1600-800-740 BI NOA BI NOS 1400-800-740 1800-800-740



BLN02L BLN06L 1200-800-740 1600-800-740 BI NOAI BI NOSI 1400-800-740 1800-800-740



BLN01 1600-1870-740 BI NO3 1800-1870-740



BLN05 1600-3740-740 BI N07 1800-3740-740



BLN12 BLN16 1200-1600-740 1600-1600-740 BI N14 BI N18 1400-1600-740 1800-1600-740



BLN12L BLN16L 1200-1600-740 1600-1600-740 RI N14.I RI N18I 1400-1600-740 1800-1600-740



PL180



1200-800-740 1600-800-740 **ZBN04 ZBN08** 1400-800-740 1800-800-740



ZBN02L 1200-800-740 1600-800-740 ZBN04L ZBN08L 1400-800-740 1800-800-740



1600-1870-740 ZBN03



1600-3740-740 ZBN07 1800-3740-740



1200–1600–740 1600–1600–740 ZBN14 ZBN18 1400-1600-740 1800-1600-740



1200–1600–740 1600–1600–740 **ZBN14L ZBN18L** 1400-1600-740 1800-1600-740







1200-800-740 1600-800-740 BRN04 BRN08 1400-800-740 1800-800-740



BRN02L 1200-800-740 1600-800-740 BRN04L BRN08L 1400-800-740 1800-800-740



1600-1870-740 BRN03 1800-1870-740



1200-800-640/840 1600-800-640/840 BRN04R 1400-800-640/840 1800-800-640/840



BUN19 BUN21 1200-800-740 1600-800-740 BUN20 BUN22 1400-800-740 1800-800-740



BUN02L BUN06L 1200-800-740 1600-800-740 BUN04L BUNOSI 1400-800-740 1800-800-740



BUN01 1600-1870-740 BUNOS 1800-1870-740



BUN05 1600-3740-740 BUN07 1800-3740-740



BUN12 BUN16 1200-1600-740 1600-1600-740 RIIN14 BUN18 1400-1600-740 1800-1600-740



BUN16L BUN12L 1200-1600-740 1600-1600-740 RUN141 BI IN18I 1400-1600-740 1800-1600-740



PL180 1600-600-28



CTA20 CTA40 1200-1690-650/1300 1600-1690-650/1300 CTA30 CTA50 1400-1690-650/1300 1800-1690-650/1300



CTA02 CTA04 1200-800-650/1300 1600-800-650/1300 CTA03 CTA05 1400-800-650/1300 1800-800-650/1300



ZN13 800-38-650



ZD812 ZD816 1196-38-800 1596-38-800 ZD814 ZD818 1396-38-800 1794-38-800



KCD80P KCD80LP KCD80L 402-800-1100 402-800-1100 402-800-1100



KRT74P KRT74LP KRT74L 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800



KRT73LP KRT73L



KDT74LP



KDT73P KDT73LP KDT73L



BA3P08 1600-432-1129



BA2P08 1600-432-740



1600-432-1129



KRT73P



KDT74P

BZB02 BZB06 1200-800-83 1600-800-83 BZB04 BZB08



KDT74L

BZB12 BZB16 1200-1600-83 1600-1600-83 BZB14 BZB18 1400-1600-83 1800-1600-83



UN10 UN14 1000-18-400 1400-18-400 UN12 UN16 1200-18-400 1600-18-400



IKDT12 IKDT13 402-600-586 402-600-586



IKDT63

402-600-740





402-600-586



402-600-586



IKRT64

402-600-740



ZP10 1590-26-350 ZP20 ZP40



1570-47-560 ZT2 ZT4 1770-47-560







ZM12

1390-38-350 1790-38-350

1190-26-350 1390-26-350 1790-26-350

1170-47-360 1370-47-360

ZT5 1570-47-560 ZT6 1770-47-560

ZN10 ZN12 787-24-350 1190-18-350

ZN16 1590-18-350 ZN14 ZN18

1790-18-350

ZN12P 1190-46-350 1590-46-350 ZN14P ZN18P 1390-46-350 1790-46-350

ZM11 800-38-350 1190-38-350 1590-38-350 ZM14 ZM18

1390-18-350

ZW612 7W616 ZW812 7W816 650-38-1200 650-38-1600 800-38-1200 800-38-1600 ZW614 ZW618 ZW814 ZW818 650-38-1400 650-38-1800 800-38-1400



7M816

ZM818

7M612



800-38-1800



7M616 1200-38-650 1600-38-650 ZM614 ZM618 1400-38-650 1800-38-650



IA2P06





IA5P06









IA2P04 800-432-740

1200-432-740

IA1P06 1200-432-750

1200-432-1129

1200-432-1833

IA2P08 1600-432-740

IA3P08 1600-432-1129

IA2P09 1618-432-740

IA3P09 1618-432-1129

IA14M 1400-432-600





1200-432-740











800-432-740



IA3L06 1200-432-1129

IA2L08 1600-432-740

1600-432-1129

IA2L09 1618-432-740

1618-432-1129



402-432-1833















402-432-777






801-432-2185

























IA6505


1000-432-2185






















1200-432-1129





275-120-140


2XRJ45 1XUSB 4X230V

















750-162-123 S14 S18 950-162-123 1350-162-123

